

# **SOFT-TEC**® SCALE CONTROL SYSTEM



Quality through innovation






## **Soft-Tec**® Scale Control System

The Soft-Tec® Scale Control System prevents scale buildup from forming on fixtures and appliances in your home. The system transforms positively charged calcium ions found in your water into calcium crystals which cannot attach to any kind of surface, resulting in 100% scale control and prevention.

Enjoy dishware that shines, and appliances that last longer and run more efficiently with the Soft-Tec® Scale Control System from Excalibur Water Systems. Available in a Superior or Econo model.









No scale buildup on fixtures and appliances



No cost to operate



Save on hot water heating costs




Spotless dishware




Appliances using water run more efficiently

### Soft-Tec® Scale Control System


#### **How Does It Work?**



The Soft-Tec® Scale Control System controls harmful dissolved lime from water via "template induced or epitaxial crystallization". The scale control system's media surface accelerates the natural tendency of dissolved lime to crystallize, but does so before lime can deposit on pipes/surfaces further downstream. The composition of the Soft-Tec® Scale Control System media surface mimics that of calcium carbonate crystals, allowing the dissolved lime in hard water to form microscopic hard crystals of "activated lime" on the media surface via the process of "template induced or epitaxial nucleation."



The Soft-Tec® Scale Control System media returns lime to the water as stabilized crystals of "activated lime". Once the microscopic crystals of activated lime grow large enough, they are freed from the Soft-Tec® Scale Control System media surface by shear forces of water flow. This makes room for generation of new activated lime crystals. These activated lime crystals are "stabilized," and will not cause pipe scaling or stubborn lime deposits on surfaces. When the Soft-Tec® Scale Control System media-treated water dries on surfaces, these crystals form a fine, dusty residue that is easily wiped off without cleansers.



The Soft-Tec® Scale Control System media's produce "activated" crystals then remove pre-existing scale and prevent new scale formation. Calcium carbonate in pre-existing scale will slowly "redistribute" itself from the low-surface area of pipe surfaces and plumbing to the high surface area of all the crystals in solution. The trillions of microscopic crystals of activated lime provide an incredibly high total surface area for further epitaxial crystallization. The net result is removal of pre-existing lime scale from plumbing, keeping pipes and appliances lime-free whilst leaving a thin protective surface!

No scale buildup on fixtures and appliances








No cost to operate + Save on hot water heating costs



Dishes, glassware, and silverware are spotless







Appliances using water run more efficiently and last longer



# Water Chemistry Requirements

Hardness: 0 - 75 GPG

Temperature: 36 - 122°F

(2 - 50°C)

Pressure: 40-100 psi

Iron: 0.0 ppm

Sulphur: 0.0 ppm

Manganese: 0.0 ppm

Phosphate: 0.0 ppm

#### **New Copper Pipe Installation**

When new copper pipe is installed you must wait 60 days prior to install. Because the new copper pipe has the potential of leaching copper into the water until it has a chance to build up a patina. The time required for this varies greatly from a few days to 60 days depending on water chemistry and how much damage was done to the plumbing system by the excessive use of corrosive flux in the soldering process.

#### **Temperature**

The seed crystals that are produced by the media will continue to grow or partially re-dissolve depending on changes of Langelier Saturation Index of the water. Temperature is one of five parameters that are factors in LSI.

#### Soft-Tec® Residential Scale Control Testing

Soft-Tec® used the testing protocol of DVGW through an independent laboratory. DVGW is recognized throughout Europe like the National Sanitation Foundation (NSF) in North America. The test was done by running raw 20gpg hardness water at 80°C for continuous 21 days and then water with same properties treated by Soft-Tec® media was ran for 21 days. The comparison of Calcium scale proves the proficiency more than 99%.



21 Days Soft-Tec® Treated Water



21 Days Raw Water (20gpg)

#### Soft-Tec® Benefits

- No additional water, chemicals or salt required
- No electricity cost
- No operating cost

- Essential body nutrients in your water remain intact
- Environmentally friendly, no salt required

#### Soft-Tec® Superior Scale Control System



The Soft-Tec® Superior Scale Control System prevents scale buildup from forming on fixtures and appliances in your home. The system transforms positively charged calcium ions found in your water into calcium crystals which cannot attach to any kind of surface, resulting in 100% scale control and prevention. Your dishware will shine, and appliances using water will run more efficiently. This system handles flow rates up to 10 gallons per minute. For larger systems, please contact Excalibur Water Systems.

Part #	Pressure (psi)	Temperature (°F)	L x W x H (in)
EWS NSB0844	20-125	40-110	8" x 13" x 50"

**Soft-Tec**<sup>®</sup> Econo Scale Control System



\*excluding carbon filtration consumables

The Soft-Tec® Econo Scale Control System prevents scale buildup from forming on fixtures and appliances in your home while also utilizing a carbon cartridge to remove unwanted chemicals from your water supply, such as chlorine. This system handles flow rates up to 5 gallons per minute. For larger systems, please contact Excalibur Water Systems.

Part #	Pressure (psi)	Temperature (°F)	L x W x H (in)
EWS DH20NS	20-85	40-110	22" x 5" x 27"

#### Note:

If there is iron present in your municipal water supply, it is recommended that you install a Filtermax ™ Premium Chemical Removal Filter or a Premium Zentec Iron Filter from Excalibur Water Systems as a form of pretreatment. These will remove dangerous chemicals from your municipal water supply.





## EXCALIBUR WATER SYSTEMS INC.

T. 705 733 8900 E. info@excaliburwater.com

www.excaliburwater.com

**Authorized Dealer:**